

Common Name	Species Name	2014 %	2015 %	2016 %	2017 %	2018 %	2019 %
Birds		% Occasions Noted					
Black Headed Gull	<i>Chroicocephalus ridibundus</i>	22%	12%	8%	3%	10%	0%
Blackbird	<i>Turdus merula</i>	63%	68%	75%	84%	57%	55%
Blackcap	<i>Sylvia atricapilla</i>	11%	10%	8%	9%	0%	9%
Blue Tit	<i>Parus caeruleus</i>	58%	46%	69%	88%	57%	73%
Brambling	<i>Fringilla montifringilla</i>	0%	2%	0%	0%	0%	0%
Bullfinch	<i>Pyrrhula pyrrhula</i>	11%	7%	0%	3%	5%	0%
Buzzard	<i>Buteo</i>	29%	44%	31%	53%	48%	18%
Canada Goose	<i>Branta canadensis</i>	2%	0%	0%	0%	0%	0%
Carrion Crow	<i>Corvus corone</i>	45%	41%	39%	19%	52%	27%
Chaffinch	<i>Fringilla coelebs</i>	57%	56%	47%	31%	48%	45%
Chiffchaff	<i>Phylloscopus collybita</i>	11%	10%	11%	22%	5%	18%
Coal Tit	<i>Parus ater</i>	25%	41%	31%	31%	43%	45%
Collared Dove	<i>Streptopelia decaocto</i>	17%	10%	17%	9%	5%	9%
Common Redpoll	<i>Acanthis flammea</i>	0%	0%	0%	0%	5%	0%
Cormorant	<i>Phalacrocorax carbo</i>	2%	5%	3%	6%	10%	0%
Dunnock	<i>Prunella modularis</i>	31%	46%	33%	41%	48%	45%
Fieldfare	<i>Turdus pilaris</i>	9%	10%	14%	13%	10%	9%
Garden Warbler	<i>Sylvia borin</i>	2%	0%	0%	0%	0%	0%
Goldcrest	<i>Regulus</i>	32%	37%	22%	38%	33%	55%
Golden Plover	<i>Pluvialis apricaria</i>	0%	5%	0%	0%	0%	0%
Goldfinch	<i>Carduelis carduelis</i>	52%	46%	53%	53%	57%	36%
Goosander	<i>Mergus merganser</i>	0%	2%	0%	0%	0%	0%
Great Black Backed Gull	<i>Larus marinus</i>	0%	2%	0%	0%	0%	0%
Great Spotted Woodpecker	<i>Dendrocopos major</i>	14%	12%	11%	13%	5%	0%
Great Tit	<i>Parus major</i>	42%	46%	50%	63%	24%	36%
Green Woodpecker	<i>Picus viridis</i>	2%	2%	3%	0%	0%	0%
Greenfinch	<i>Carduelis chloris</i>	28%	22%	31%	16%	14%	18%
Grey Heron	<i>Ardea cinerea</i>	2%	7%	3%	0%	10%	9%
Grey Partridge	<i>Perdix perdix</i>	2%	0%	0%	0%	0%	0%
Grey Wagtail	<i>Montacilla cinerea</i>	3%	2%	3%	0%	0%	0%
Greylag goose	<i>Anser anser</i>	3%	0%	3%	0%	0%	0%
Herring Gull	<i>Larus argentatus</i>	2%	7%	0%	3%	0%	0%
Hobby	<i>Falco subbuteo</i>	0%	0%	3%	6%	0%	0%
House Martin	<i>Delichon urbica</i>	6%	7%	11%	0%	10%	9%
House Sparrow	<i>Passer domesticus</i>	15%	12%	11%	9%	5%	9%
Jackdaw	<i>Corvus monedula</i>	46%	59%	50%	47%	76%	73%
Jay	<i>Garrulus glandarius</i>	8%	12%	6%	3%	5%	9%
Kestrel	<i>Falco tinnunculus</i>	12%	22%	8%	6%	43%	27%
Lapwing	<i>Vanellus vanellus</i>	6%	7%	3%	0%	0%	0%
Lesser Black Backed Gull	<i>Larus fuscus</i>	5%	7%	8%	0%	0%	9%
Lesser Spotted Woodpecker	<i>Dendrocopos minor</i>	2%	5%	0%	0%	0%	0%

Linnet	<i>Carduelis cannabina</i>	34%	32%	17%	13%	14%	36%
Little Owl	<i>Athene noctua</i>	5%	2%	6%	3%	0%	0%
Long Tailed Tit	<i>Aegithalos caudatus</i>	29%	29%	31%	13%	24%	45%
Magpie	<i>Pica</i>	20%	22%	22%	13%	14%	9%
Mallard	<i>Anas Platyrhynchos</i>	9%	2%	11%	3%	14%	0%
Meadow Pipit	<i>Anthus pratensis</i>	5%	5%	3%	0%	0%	0%
Merlin	<i>Falco columbarius</i>	2%	0%	3%	0%	0%	0%
Mistle Thrush	<i>Turdus viscivorus</i>	45%	37%	42%	44%	38%	45%
Moorhen	<i>Gallinula chloropus</i>	2%	2%	3%	3%	5%	0%
Muscovy duck	<i>Cairina moschata</i>	0%	0%	0%	3%	5%	0%
Nuthatch	<i>Sitta europaea</i>	52%	71%	64%	63%	67%	64%
Osprey	<i>Pandion haliaetus</i>	0%	0%	0%	3%	0%	0%
Oystercatcher	<i>Haematopus ostralegus</i>	0%	0%	3%	0%	5%	0%
Peregrine falcon	<i>Falco peregrinus</i>	2%	0%	6%	3%	5%	0%
Pheasant	<i>Phasianus colchicus</i>	20%	24%	25%	34%	29%	55%
Pied Wagtail	<i>Montacilla yarrellii</i>	42%	51%	56%	41%	76%	91%
Pink Footed Goose	<i>Anser brachyrhynchus</i>	0%	0%	0%	0%	5%	9%
Raven	<i>Corvus corax</i>	2%	0%	0%	0%	0%	0%
Red Kite	<i>Milvus</i>	0%	0%	0%	3%	0%	0%
Red Legged Partridge	<i>Alectoris rufa</i>	6%	10%	11%	0%	10%	9%
Redwing	<i>Turdus iliacus</i>	22%	27%	31%	19%	29%	27%
Reed Bunting	<i>Emberiza schoeniclus</i>	0%	5%	0%	0%	0%	0%
Robin	<i>Erithcus rubecula</i>	57%	71%	81%	84%	57%	82%
Rook	<i>Corvus frugilegus</i>	37%	41%	25%	22%	24%	9%
Rough Legged Buzzard	<i>Buteo lagopus</i>	0%	2%	0%	0%	0%	0%
Skylark	<i>Alauda arvensis</i>	8%	5%	3%	3%	0%	9%
Song Thrush	<i>Turdus philomelos</i>	48%	39%	36%	41%	19%	18%
Sparrowhawk	<i>Accipter nisus</i>	9%	24%	11%	9%	10%	0%
Spotted Flycatcher	<i>Muscicapa striata</i>	2%	0%	3%	0%	0%	0%
Starling	<i>Stumus vulgaris</i>	12%	12%	19%	3%	5%	0%
Stock Dove	<i>Columbba oenas</i>	18%	20%	17%	6%	5%	0%
Swallow	<i>Hirundo rustica</i>	22%	34%	19%	31%	43%	36%
Swift	<i>Apus</i>	3%	17%	6%	3%	5%	0%
Tawny Owl	<i>Strix aluco</i>	12%	17%	11%	3%	0%	0%
Tree Creeper	<i>Certhia familiaris</i>	17%	7%	8%	3%	10%	27%
Tree Sparrow	<i>Passer montanus</i>	8%	20%	6%	0%	0%	9%
Waxwing	<i>Bombycilla garrulus</i>	2%	0%	0%	0%	0%	0%
Willow Warbler	<i>Phyllooscopus trochilus</i>	2%	0%	0%	0%	0%	0%
Wood Pigeon	<i>Columba palumbus</i>	43%	44%	42%	34%	33%	36%
Wren	<i>Troglodytes</i>	51%	46%	31%	28%	38%	27%
Yellowhammer	<i>Emmeriza citrinella</i>	8%	2%	3%	3%	0%	0%
Bees		% Occasions Noted					
Ashy Mining Bee	<i>Andrena cineraria</i>	0%	0%	0%	0%	5%	0%
Buff-tailed Bee	<i>Bombus terrestris</i>	17%	20%	33%	16%	24%	27%

Colletes bee	<i>Colletes daviesanus</i>	0%	0%	3%	0%	0%	0%
Common Carder	<i>Bombus pascuorum</i>	9%	22%	14%	9%	14%	27%
Cuckoo Bee sp		2%	0%	3%	0%	0%	0%
Early Bumblebee	<i>Bombus pratorum</i>	6%	10%	6%	6%	14%	9%
Early Mining Bee	<i>Andrena haemorrhoa</i>	0%	0%	0%	0%	0%	9%
Field Cuckoo Bee	<i>Bombus campestris</i>	0%	2%	3%	0%	5%	0%
Flavous Nomad Bee	<i>Nomada flava</i>	0%	0%	0%	0%	5%	0%
Forest Cuckoo Bee	<i>Bombus sylvestris</i>	3%	0%	3%	0%	0%	0%
Garden Bumble Bee	<i>Bombus hortorum</i>	6%	10%	14%	3%	10%	0%
Gypsy Cuckoo Bee	<i>Bombus (Psithyrus) bohemicus</i>	2%	2%	0%	0%	5%	0%
Hairy Footed Flower Bee	<i>Anthophora plumipes</i>	0%	5%	8%	25%	5%	0%
Honey Bee German	<i>Apis mellifera</i>	20%	22%	22%	25%	29%	27%
Honey Bee Italian	<i>Apis mellifera ligustica</i>	5%	12%	0%	6%	0%	0%
Orange Legged Furrow Bee	<i>Halictus rubicundus</i>	0%	5%	0%	0%	0%	0%
Patchwork Leaf Cutter Bee	<i>Megachile centuncularis</i>	0%	0%	0%	3%	0%	0%
Red Mason Bee	<i>Osmia bicornis</i>	2%	0%	0%	0%	0%	0%
Red-Tailed Bee	<i>Bombus lapidarius</i>	12%	22%	25%	16%	19%	9%
Slender Mining Bee	<i>Lasioglossum calceatum</i>	2%	0%	0%	0%	0%	0%
Southern cuckoo Bee	<i>Bombus vestalis</i>	0%	0%	0%	0%	5%	0%
Tawny Mining Bee	<i>Andrena fulva</i>	0%	2%	0%	6%	0%	9%
Tree Bumblebee	<i>Bombus hypnorum</i>	2%	7%	3%	6%	19%	9%
White tailed BumbleBee	<i>Bombus lucorum</i>	0%	15%	14%	16%	19%	18%
Willughby's leafcutter bee	<i>Megachile rotundata</i>	0%	0%	0%	0%	0%	9%
Yellow faced bee	<i>Hyalaeus communis</i>	0%	0%	3%	0%	0%	0%
Hoverflies		% Occasions Noted					
Baccha elongata	<i>Baccha elongata</i>	2%	2%	0%	0%	0%	0%
Batman Hoverfly	<i>Myathropa florea</i>	6%	0%	0%	6%	5%	0%
Bright Eyes	<i>Chrysogaster solstitialis</i>	0%	0%	0%	0%	5%	0%
Chequered Hoverfly	<i>Melanostoma Scalare</i>	5%	5%	0%	3%	14%	0%
Chrysotoxum Festivum	<i>Chrysotoxum festivum</i>	0%	2%	0%	0%	0%	0%
Common Banded Hoverfly	<i>Syrphus ribesii</i>	9%	5%	3%	9%	10%	36%
Common Snout Fly	<i>Rhingia campestris</i>	6%	5%	3%	0%	0%	0%
Dark-Horned Truffle-Cheilosia	<i>Cheilosia scutellata</i>	0%	0%	3%	0%	0%	0%
Dasysyrphus trincinctus	<i>Dasysyrphus trincinctus</i>	3%	0%	0%	0%	0%	0%
Drone Fly	<i>Eristalis tenax</i>	5%	5%	3%	9%	14%	18%
Epistrophe Elegans	<i>Epistrophe eligans</i>	0%	0%	0%	3%	0%	0%
Epistrophe grossulariae	<i>Epistrophe grossulariae</i>	0%	0%	3%	0%	0%	0%
Eristalis nemorum	<i>Eristalis nemorum</i>	2%	0%	0%	0%	10%	0%
Eupeodes corollae	<i>Eupeodes corollae</i>	0%	0%	0%	0%	10%	0%
Eupeodes luniger	<i>Eupeodes luniger</i>	0%	2%	3%	0%	19%	18%
Golden-tailed Hoverfly	<i>Xylota sylvarum</i>	0%	0%	0%	0%	5%	0%
Great Pied Fly	<i>Volucella pellucens</i>	3%	2%	0%	0%	5%	9%
Greater Bulb Fly	<i>Merodon equestris</i>	0%	2%	3%	0%	0%	0%
Hornet fly	<i>Volucella zonaria</i>	0%	0%	0%	0%	0%	9%

Hourglass Fly	<i>Eristalis arbustorum</i>	2%	0%	6%	0%	10%	0%
Long hoverfly	<i>Sphaerophoria scripta</i>	0%	0%	0%	3%	5%	0%
Marmalade Fly	<i>Episyrrhus balteatus</i>	8%	27%	17%	13%	29%	36%
Melanostoma mellinum	<i>Melanostoma mellinum</i>	2%	5%	0%	0%	0%	0%
Meliscaeva auricollis	<i>Meliscaeva auricollis</i>	0%	0%	0%	0%	0%	9%
Parasyrphus punctulatus	<i>Parasyrphus punctulatus</i>	0%	0%	3%	0%	0%	0%
Platycheirus albimanus	<i>Platycheirus albimanus</i>	2%	5%	3%	3%	10%	9%
Rare Snout Fly	<i>Rhingia rostrata</i>	3%	0%	0%	0%	0%	0%
Sphaerophoria interrupta	<i>Sphaerophoria interrupta</i>	0%	2%	0%	0%	5%	0%
Sun Fly	<i>Helophilus pendulus</i>	8%	2%	0%	0%	0%	0%
Tapered Drone Fly	<i>Eristalis pertinax</i>	5%	0%	0%	0%	5%	0%
Thick Legged fly	<i>Syritta pipiens</i>	3%	0%	0%	0%	5%	0%
Xylota Segnis	<i>Xylota Segnis</i>	3%	2%	6%	0%	5%	0%
Macro Moths		% Occasions Noted					
6 spotted burnet	<i>Zygaena filipendulae</i>	0%	5%	0%	0%	0%	0%
Angle Shades	<i>Phlogophora meticulosa</i>	6%	10%	0%	0%	5%	0%
Barred Sallow	<i>Tiliacea aurago</i>	2%	0%	0%	0%	0%	0%
Beautiful Brocade	<i>Lacanobia contigua</i>	0%	0%	3%	0%	0%	0%
Beautiful Golden Y	<i>Autographa pulchrina</i>	2%	0%	0%	0%	0%	0%
Black Rustic	<i>Aporophyla nigra</i>	2%	5%	0%	0%	5%	0%
Blood Vein	<i>Timandra comae</i>	0%	2%	0%	0%	0%	0%
Bordered Pug	<i>Eupithecia succenturiata</i>	2%	0%	0%	0%	0%	0%
Bright eye Brown Line	<i>Mythimna conigera</i>	2%	0%	0%	0%	5%	0%
Bright Line Brown Eye	<i>Lacanobia oleracea</i>	3%	2%	0%	3%	5%	9%
Brimstone	<i>Gonepteryx rhamni</i>	0%	2%	0%	0%	0%	0%
Broad Bordered Yellow Underwing	<i>Noctua fimbriata</i>	2%	2%	0%	3%	0%	9%
Broken Barred Carpet	<i>Electrophaes corylata</i>	0%	0%	0%	0%	0%	0%
Buff Arches	<i>Habrosyne pyritoides</i>	2%	2%	0%	0%	0%	0%
Buff Ermine	<i>Spilosoma luteum</i>	2%	7%	3%	0%	0%	0%
Buff Tip	<i>Phalera bucephala</i>	0%	2%	0%	0%	5%	0%
Burnished Brass	<i>Diachrysis chrysis</i>	0%	5%	0%	0%	0%	0%
Centre Barred Sallow	<i>Atethmia centrigo</i>	3%	0%	3%	0%	5%	0%
Chestnut	<i>Conistra vaccinii</i>	2%	0%	0%	0%	0%	0%
Cinnabar	<i>Tyria jacobaeae</i>	0%	0%	0%	3%	10%	18%
Clay	<i>Mythimna ferrago</i>	0%	2%	0%	0%	5%	0%
Clouded Border	<i>Lomaspilis marginata</i>	0%	2%	0%	0%	5%	0%
Clouded Brindle	<i>Apamea epomidion</i>	0%	0%	0%	0%	5%	0%
Clouded drab	<i>Orthosia incerta</i>	5%	2%	3%	3%	5%	0%
Clouded Silver	<i>Lomographa temerata</i>	0%	2%	3%	0%	0%	0%
Common Carpet	<i>Epirrhoe alternata</i>	0%	2%	0%	0%	5%	0%
Common Emerald	<i>Hemitea aestivaria</i>	0%	0%	0%	0%	0%	9%
Common Footman	<i>Eilema lurideola</i>	2%	10%	0%	3%	5%	0%
Common Marbled carpet	<i>Chloroclysta truncata</i>	5%	5%	0%	0%	0%	0%
Common Pug	<i>Eupithecia vulgata</i>	0%	2%	6%	3%	0%	0%

Common Quaker	<i>Orthosia cerasi</i>	6%	0%	6%	9%	5%	0%
Common Rustic	<i>Mesapamea secalis</i>	3%	7%	0%	3%	19%	0%
Common Swift	<i>Korscheltellus lupulina</i>	0%	0%	3%	0%	0%	0%
Common Wainscot	<i>Mythimna pallens</i>	2%	2%	3%	3%	0%	9%
Copper Underwing	<i>Amphipyra pyramidea</i>	3%	2%	0%	0%	10%	0%
Dark Arches	<i>Apamea monoglypha</i>	3%	7%	0%	3%	14%	9%
December Moth	<i>Poecilocampa populi</i>	2%	0%	0%	0%	0%	0%
Dotted Border	<i>Agriopos marginaria</i>	2%	0%	0%	0%	0%	0%
Double Square Spot	<i>Xestia triangulum</i>	0%	5%	3%	0%	10%	0%
Dun-Bar	<i>Cosmia trapezina</i>	2%	5%	0%	3%	5%	0%
Dusky Thorn	<i>Ennomos fuscantaria</i>	0%	0%	3%	0%	5%	0%
Early Grey	<i>Xylocampa areola</i>	2%	2%	0%	3%	0%	0%
Early Thorn	<i>Selenia dentaria</i>	2%	0%	0%	3%	10%	0%
Early Tooth-Striped	<i>Trichopteryx carpinata</i>	2%	2%	0%	0%	0%	0%
Elephant Hawkmoth	<i>Deilephila elpenor</i>	0%	2%	0%	0%	0%	0%
Eyed Hawkmoth	<i>Smerinthus ocellata</i>	0%	0%	0%	0%	0%	9%
Fan-foot	<i>Zanclognatha tarsipennalis</i>	2%	2%	0%	0%	0%	0%
Flame Carpet	<i>Xanthorhoe designata</i>	2%	0%	0%	0%	0%	0%
Flame Shoulder	<i>Ochropleura plecta</i>	5%	12%	3%	6%	5%	0%
Flounced Rustic	<i>Luperina testacea</i>	2%	2%	0%	0%	0%	9%
Foxglove Pug	<i>Eupithecia pulchellata</i>	0%	2%	0%	3%	0%	0%
Garden Carpet	<i>Xanthorhoe fluctuata</i>	3%	2%	3%	3%	5%	0%
Gold Spot	<i>Plusia festucae</i>	0%	2%	0%	3%	0%	9%
Golden Rod Pug	<i>Eupithecia virgaureata</i>	2%	0%	0%	0%	0%	0%
Green Silver lines	<i>Pseudoips prasinana</i>	3%	0%	3%	0%	0%	0%
Grey Arches	<i>Polia nebulosa</i>	2%	0%	0%	0%	0%	0%
Grey Dagger	<i>Acronicta psi</i>	0%	0%	0%	0%	5%	0%
Grey Pug	<i>Eupithecia subfuscata</i>	2%	0%	0%	0%	0%	0%
Grey Shoulder Knot	<i>Lithophane ornitopus</i>	0%	0%	0%	0%	5%	0%
Heart and Dart	<i>Agrotis exclamationis</i>	2%	7%	3%	0%	5%	9%
Hebrew Character	<i>Orthosia gothica</i>	6%	10%	8%	13%	5%	0%
Herald Moth	<i>Scoliopteryx libatrix</i>	11%	10%	8%	3%	0%	9%
Humming-bird Hawkmoth	<i>Macroglossum stellatarum</i>	0%	0%	0%	3%	0%	0%
Ingrailed Clay	<i>Diarsia mendica mendica</i>	3%	7%	0%	6%	0%	0%
Iron Prominent	<i>Notodonta dromedarius</i>	2%	0%	0%	0%	0%	0%
Large Yellow Underwing	<i>Noctua pronuba</i>	6%	20%	8%	6%	14%	9%
Lead Coloured drab	<i>Orthosia populeti</i>	3%	2%	0%	9%	5%	0%
Least Yellow Underwing	<i>Noctua interjecta</i>	0%	2%	3%	0%	5%	0%
Lesser Broad-boarded Yellow Underwing	<i>Noctua janthe</i>	3%	10%	0%	6%	14%	9%
Lesser common rustic	<i>Mesapamea didyma</i>	0%	2%	0%	3%	0%	0%
Lesser Swallow Prominent	<i>Pheosia gnoma</i>	0%	0%	0%	3%	0%	0%
Lesser Yellow Underwing	<i>Noctua comes</i>	5%	12%	3%	0%	5%	0%
Light Arches	<i>Apamea lithoxyloae</i>	0%	0%	0%	0%	0%	0%
Light Emerald	<i>Campaea margaritata</i>	2%	7%	0%	3%	5%	0%

Lime Hawkmoth	<i>Mimas tiliae</i>	2%	2%	0%	0%	0%	9%
Lime Speck Pug	<i>Eupithecia centaureata</i>	2%	0%	0%	0%	0%	0%
Lunar Underwing	<i>Omphaloscelis lunosa</i>	2%	2%	0%	0%	5%	0%
Lychnis	<i>Hadena bicurris</i>	2%	0%	0%	0%	5%	0%
Magpie Moth	<i>Abraxas grossulariata</i>	2%	0%	0%	0%	0%	0%
Marbled Beauty	<i>Cryphia domestica</i>	2%	7%	0%	0%	5%	0%
Marbled Minor	<i>Oligia strigili</i>	0%	0%	0%	0%	0%	9%
March Moth	<i>Alsophilia aescularia</i>	2%	2%	0%	0%	0%	0%
Middle-Barred Minor	<i>Oligia fasciuncula</i>	0%	2%	0%	0%	0%	0%
Mottled Beauty	<i>Alcis repandata</i>	2%	0%	0%	0%	5%	0%
Mottled Pug	<i>Eupithecia exiguata</i>	0%	2%	0%	0%	0%	0%
Mouse Moth	<i>Amphipyra tragopoginis</i>	2%	0%	0%	0%	0%	0%
Oak Beauty	<i>Biston strataria</i>	5%	2%	0%	0%	5%	0%
Oak Tree Pug	<i>Eupithrcia dodoneata</i>	2%	0%	0%	0%	0%	0%
Old Lady	<i>Mormo maura</i>	5%	0%	0%	0%	10%	0%
Orange Sallow	<i>Xanthia citrigo</i>	2%	0%	0%	0%	0%	0%
Pale Mottled Willow	<i>Paradrina clavipalpis</i>	2%	0%	0%	0%	0%	0%
Pale Pinion	<i>Lithophane hepatica</i>	2%	0%	0%	0%	0%	0%
Pale Prominent	<i>Pterostoma palpina</i>	0%	0%	0%	0%	5%	0%
Pale Tussock	<i>Calliteara pudibunda</i>	0%	0%	3%	0%	0%	0%
Peppered Moth	<i>Biston betularia</i>	3%	2%	3%	0%	0%	9%
Plain Wave	<i>Idaea straminata</i>	0%	0%	3%	0%	0%	0%
Poplar Hawkmoth	<i>Laothoe populi</i>	2%	2%	0%	6%	10%	9%
Purple Thorn	<i>Selenia tetralunaria</i>	2%	2%	0%	0%	0%	0%
Red Chestnut	<i>Cerastis rubricosa</i>	2%	2%	0%	0%	0%	0%
Red Green Carpet	<i>Chloroclysta siterata</i>	0%	0%	0%	0%	5%	0%
Red-necked Footman	<i>Atolmis rubricollis</i>	0%	2%	0%	0%	0%	0%
Riband Wave	<i>Idaea aversata</i>	3%	5%	0%	3%	14%	18%
Rosy Rustic	<i>Hydraecia micacea</i>	2%	2%	3%	0%	0%	0%
Ruby Tiger	<i>Phragmatobia fuliginosa</i>	0%	0%	0%	3%	5%	0%
Sallow Kitten	<i>Furcula furcula</i>	0%	2%	0%	0%	0%	0%
Sandy Carpet	<i>Perizoma flavofasciata</i>	2%	0%	0%	0%	0%	0%
Satellite	<i>Eupsillia transversa</i>	3%	2%	0%	0%	0%	0%
Scalloped hazel	<i>Odontopera bidentata</i>	3%	0%	0%	0%	0%	0%
Scarce footman	<i>Eilema complana</i>	0%	0%	0%	3%	0%	0%
Scyamore Moth	<i>Acronicta aceris</i>	0%	0%	0%	0%	5%	0%
Setaceous Hebrew Character	<i>Xestia c-nigrum</i>	2%	7%	0%	0%	10%	0%
Shaded Broad Bar	<i>Scotopteryx chenopodiata</i>	0%	0%	0%	0%	5%	0%
Shoulder-striped Wainscot	<i>Leucania comma</i>	0%	0%	3%	0%	0%	9%
Shuttle Shaped Dart	<i>Agrotis puta</i>	2%	2%	0%	0%	10%	0%
Silver Y	<i>Autographa gamma</i>	0%	10%	0%	0%	0%	0%
Six Striped Rustic	<i>Xestia sexstrigata</i>	0%	5%	0%	0%	5%	0%
Small Angle Shades	<i>Euplexia lucipara</i>	0%	2%	0%	0%	0%	0%
Small Clouded Brindle	<i>Apamea unanims</i>	2%	0%	0%	0%	5%	0%

Small Fan foot wave	<i>Idea biselata</i>	0%	0%	0%	0%	10%	0%
Small Pheonix	<i>Ecliptopera silaceata</i>	5%	2%	0%	3%	0%	9%
Small Quaker	<i>Orthosia cruda</i>	5%	2%	0%	6%	0%	0%
Snout	<i>Hypena proboscidalis</i>	2%	0%	0%	0%	5%	0%
Spectacle	<i>Abrostola tripartita</i>	0%	0%	0%	3%	0%	0%
Straw Dot	<i>Rivula sericealis</i>	0%	5%	3%	0%	0%	0%
Streamer	<i>Anticlea derivata</i>	2%	0%	0%	0%	0%	0%
Swallow prominent	<i>Pheosia tremula</i>	2%	2%	0%	6%	0%	0%
Swallow-tailed Moth	<i>Ourapteryx sambucaria</i>	0%	0%	0%	0%	5%	0%
Tawny Marbled Minor	<i>Oligia latruncula</i>	0%	5%	0%	0%	0%	0%
Tawny Pinion	<i>Lithophane semibrunnea</i>	0%	2%	0%	0%	0%	0%
Triple Spotted Pug	<i>Eupithecia trisignaria</i>	0%	0%	0%	0%	0%	0%
Twin Spotted Quaker	<i>Orthosia munda</i>	3%	0%	3%	6%	5%	0%
Uncertain	<i>Hoplodrina alsines</i>	2%	5%	0%	0%	10%	18%
Vapourer (moth)	<i>Orgyia antiqua</i>	0%	2%	0%	0%	0%	0%
Varied Coronet	<i>Hadena compta</i>	0%	0%	0%	0%	0%	9%
Water carpet	<i>Lampropteryx suffumata</i>	0%	0%	0%	3%	0%	0%
White Ermine	<i>Spilosoma lubricipeda</i>	5%	0%	3%	0%	0%	0%
White Spotted Pinion	<i>Cosmia diffinis</i>	0%	2%	0%	0%	0%	0%
Willow Beauty	<i>Peribatodes rhomboidaria</i>	2%	2%	3%	3%	5%	0%
Micro Moths		% Occasions Noted					
Agriphila geniculea	<i>Agriphila geniculea</i>	0%	0%	0%	0%	0%	0%
Agriphila latistria	<i>Agriphila latistria</i>	0%	0%	0%	0%	5%	0%
Banded Grass-veneer	<i>Pediasia fascelinella</i>	2%	0%	0%	0%	0%	0%
Barred Marble	<i>Celypha striana</i>	0%	5%	0%	0%	0%	0%
Beautiful knot-horn	<i>Rhodophaea formosa</i>	0%	0%	0%	3%	0%	0%
Bird Cherry Ermine	<i>Yponomeuta evonymella</i>	0%	0%	0%	3%	5%	0%
Blastobasis adustella	<i>Blastobasis adustella</i>	2%	0%	3%	3%	10%	9%
Chequered fruit tree tortix	<i>Pandemis corylana</i>	0%	5%	0%	0%	0%	0%
Chequered Grass-veneer	<i>Catoptria falsella</i>	2%	2%	0%	3%	10%	0%
Common Grass Veneer	<i>Agriphila tristella</i>	2%	7%	0%	3%	10%	9%
Common Plume	<i>Emmelina monodactyla</i>	0%	2%	0%	0%	0%	0%
Common Purple & Gold	<i>Pyrausta purpuralis</i>	2%	0%	0%	0%	0%	0%
Common Yellow Conch	<i>Agapeta hamma</i>	0%	2%	0%	0%	5%	0%
Diamond Back Moth	<i>Plutella xylostella</i>	2%	0%	3%	0%	0%	0%
Ermine Knot-horn	<i>Phycitodes binaevella</i>	0%	2%	0%	0%	0%	0%
Esperia sulphurella	<i>Esperia sulphurella</i>	2%	0%	0%	0%	0%	0%
Garden Cosmot	<i>Mompha Subbistrigella</i>	0%	0%	0%	3%	0%	0%
Garden Grass-veneer	<i>Chrysoteuchia culmella</i>	3%	2%	0%	0%	10%	9%
Golden Brown tubic	<i>Crassa unitella</i>	0%	2%	0%	0%	0%	0%
Green Oak Tortix	<i>Tortix viridana</i>	0%	5%	0%	0%	0%	0%
Ground Moss grey	<i>Eudonia truncicolella</i>	0%	2%	0%	0%	0%	0%
Large Fruit-tree Tortrix	<i>Archips podana</i>	2%	2%	0%	0%	0%	0%
Light Brown Apple	<i>Epiphyas postvittana</i>	2%	5%	0%	6%	10%	9%

Little Grey	<i>Eudonia lacustrata</i>	2%	2%	0%	3%	0%	0%
Long-horned Flat-body	<i>Carcina quercana</i>	2%	0%	0%	0%	0%	0%
Marbled Orchard Tortix	<i>Hedya nubiferana</i>	0%	2%	0%	0%	0%	0%
March Dagger Moth	<i>Diurnea fagella</i>	2%	0%	0%	0%	5%	0%
Marsh Grey	<i>Eudonia pallida</i>	0%	2%	0%	0%	0%	0%
Mint Moth	<i>Pyrausta aurata</i>	2%	0%	0%	3%	0%	0%
Mother of Pearl	<i>Pleuroptya ruralis</i>	2%	0%	0%	3%	5%	9%
Nettle Tap	<i>Anthophilia fabriciana</i>	2%	0%	0%	0%	0%	0%
Olive Pearl	<i>Udea olivalis</i>	0%	5%	0%	0%	0%	0%
Pale Straw Pearl	<i>Udea Lutealis</i>	0%	0%	0%	0%	0%	0%
Pale-streak Grass-veneer	<i>Agriphila Selasella</i>	0%	2%	0%	0%	0%	0%
Pearl Grass Veneer	<i>Catoptria pinella</i>	0%	0%	0%	3%	0%	0%
Pied Smudge	<i>Ypsolopha sequella</i>	2%	0%	0%	0%	0%	0%
Pseudargyrotoza conwagana	<i>Pseudargyrotoza conwagana</i>	2%	0%	0%	0%	0%	0%
Red-Barred Tortix	<i>Ditula angustiorana</i>	0%	2%	0%	0%	0%	0%
Small Grey	<i>Eudonia Mercurella</i>	0%	5%	0%	3%	0%	0%
Small Magpie	<i>Eurrhyncha hortulata</i>	0%	2%	0%	0%	0%	9%
Straw Grass-veneer	<i>Agriphila straminella</i>	0%	0%	0%	0%	5%	0%
Traingle Plume	<i>Platyptilia gonodactyla</i>	0%	0%	3%	0%	0%	0%
Traingle-marked roller	<i>Ancylis achatana</i>	0%	0%	0%	3%	0%	0%
White Plume Moth	<i>Pterophorus pentadactyla</i>	0%	2%	0%	0%	0%	0%
White Shouldered House Moth	<i>Endrosis sarcitrella</i>	2%	0%	0%	0%	0%	9%
Mammals		% Occasions Noted					
Bank Vole	<i>Clethrionomys glareolus</i>	8%	12%	19%	9%	14%	18%
Common Shrew	<i>Sorex araneus</i>	2%	10%	11%	6%	5%	18%
Field Vole	<i>Microtus agrestis</i>	0%	5%	0%	0%	0%	0%
Fox	<i>Vulpes vulpes</i>	2%	5%	3%	3%	5%	0%
Grey Squirrel	<i>Sciurud carolinensis</i>	8%	15%	11%	6%	5%	0%
Hedgehog	<i>Erinaceus europaeus</i>	9%	12%	8%	9%	5%	0%
Mole	<i>Talpa europaea</i>	6%	10%	0%	0%	0%	0%
Rabbit	<i>Oryctolagus cuniculus</i>	3%	0%	6%	3%	5%	0%
Stoat	<i>Mustela erminea</i>	2%	0%	0%	0%	0%	0%
Water Shrew	<i>Neomys fodiens</i>	0%	0%	0%	0%	5%	0%
Weasel	<i>Mustela nivalis</i>	2%	0%	0%	0%	0%	0%
Wood Mouse	<i>Apodemus sylvaticus</i>	8%	2%	8%	13%	0%	0%
Bats		% Occasions Noted					
Brown Long-eared	<i>Plecotus auritus</i>	2%	0%	3%	0%	0%	0%
Common Pipistrelle	<i>Pipistrellus pipistrellus</i>	3%	2%	0%	0%	0%	0%
Noctule	<i>Nyctalus noctula</i>	2%	0%	0%	0%	0%	0%
Soprano Pipistrelle	<i>Pipistrellus pygmaeus</i>	2%	0%	0%	0%	0%	0%
Butterflies		% Occasions Noted					
Brimstone	<i>Gonepteryx rhamni</i>	2%	2%	0%	13%	5%	0%
Comma	<i>Polygonia c-album</i>	3%	2%	0%	3%	5%	0%
Common Blue	<i>Polyommatus icarus</i>	0%	0%	3%	0%	0%	0%

Dingy Skipper	<i>Erynnis tages</i>	0%	2%	0%	0%	0%	0%
Gatekeeper	<i>Pyronia tithonus</i>	2%	5%	3%	0%	10%	9%
Green Veined White	<i>Pieris napi</i>	5%	7%	8%	3%	5%	9%
Holly Blue	<i>Celastrina argiolus</i>	0%	0%	3%	0%	0%	9%
Large Cabbage White	<i>Pieris brassicae</i>	8%	15%	11%	9%	19%	9%
Large Skipper	<i>Ochlodes sylvanus</i>	0%	2%	0%	0%	0%	9%
Meadow Brown	<i>Maniola jurtina</i>	2%	5%	3%	3%	0%	9%
Orange Tip	<i>Anthocharis cardamines</i>	2%	0%	6%	3%	0%	0%
Painted Lady	<i>Vanessa cardui</i>	2%	2%	0%	3%	0%	9%
Peacock	<i>Inachis io</i>	6%	5%	8%	0%	0%	9%
Purple Hairstreak	<i>Celastrina argiolus</i>	0%	0%	3%	0%	0%	0%
Red Admiral	<i>Vanessa atalanta</i>	5%	7%	6%	6%	5%	0%
Ringlet	<i>Aphantopus hyperantus</i>	0%	2%	0%	3%	0%	0%
Small Skipper	<i>Thymelicus sylvestris</i>	0%	2%	0%	0%	5%	0%
Small Tortoiseshell	<i>Algaeis urticae</i>	12%	20%	6%	3%	10%	9%
Small White	<i>Pieris rapae</i>	5%	7%	0%	3%	0%	0%
Speckled Wood	<i>Parage aegeria</i>	2%	2%	6%	0%	5%	0%
Pondlife		% Occasions Noted					
Backswimmer		2%	12%	11%	0%	5%	0%
Common frog	<i>Rana temporaria</i>	5%	2%	14%	6%	5%	9%
Common Toad	<i>Bufo Bufo</i>	0%	5%	3%	13%	24%	55%
Daphnia	<i>Daphnia spp</i>	0%	0%	8%	0%	0%	0%
Diaptomus		0%	0%	3%	0%	0%	0%
Great Crested Newt	<i>Triturus cristatus</i>	35%	20%	25%	16%	24%	36%
Great Diving Beetle	<i>Dytiscus marginalis</i>	3%	0%	0%	0%	10%	0%
Lesser Water Boatman		0%	5%	6%	0%	0%	0%
Pale Evening Dun	<i>Ephemerella dorothea</i>	0%	0%	3%	0%	0%	0%
Palmate Newt	<i>Lissotriton helveticus</i>	9%	2%	8%	6%	5%	0%
Pond Skater		2%	10%	11%	3%	0%	0%
Smooth Newt	<i>Lissotriton vulgaris</i>	20%	15%	19%	13%	14%	18%
Water Boatman	<i>Notonecta glauca</i>	12%	2%	3%	0%	5%	0%
Water Mite		0%	0%	3%	0%	0%	0%
Whirligig	<i>Gyrinus natator</i>	2%	0%	3%	0%	0%	0%
Reptiles & Amphibians		% Occasions Noted					
Slow-worm	<i>Anguis fragilis</i>	0%	0%	0%	13%	19%	45%
Beetles		% Occasions Noted					
14 Spotted Ladybird	<i>Propylea quattuordecimpunctata</i>	3%	2%	0%	0%	0%	9%
2 Spotted Ladybird	<i>Adalia 2-punctata</i>	2%	0%	3%	0%	0%	0%
7 spotted Ladybird	<i>Coccinella 7-punctata</i>	11%	5%	0%	6%	10%	9%
Apion pomonae	<i>Oxystoma pomonae</i>	0%	2%	0%	0%	0%	0%
Banded Sexton Beetle	<i>Nicrophorus investigator</i>	0%	0%	3%	0%	0%	0%
Black & Yellow Longhorn	<i>Rutpela maculata</i>	0%	2%	0%	0%	0%	0%
Black Clock Beetle	<i>Psterostachius madidus</i>	2%	0%	0%	0%	0%	9%
Black-headed plate-jaw	<i>Leistus terminatus</i>	2%	0%	0%	0%	0%	0%

Bluish Plate Jaw	<i>Leistus (Leistophorus) fulvibarbis</i>	0%	2%	3%	0%	0%	0%
Cardinal Beetle	<i>Pyrochroa serraticornis</i>	0%	2%	0%	0%	0%	0%
Common Burying Beetle	<i>Nicrophorus vespillo</i>	2%	0%	0%	0%	0%	0%
Common Heart Shield	<i>Nebria brevicollis</i>	2%	0%	3%	0%	0%	0%
Common Malachite Beetle	<i>Malachius bipustulatus</i>	0%	0%	0%	0%	0%	9%
Common Pinchneck	<i>Patrobis atrorufus</i>	0%	2%	0%	0%	0%	0%
Common Red Soldier Beetle	<i>Rhagonycha fulva</i>	0%	0%	0%	3%	0%	9%
Common Sun Beetle	<i>Amara aenea</i>	0%	0%	0%	0%	0%	9%
Copper Greenclock	<i>Poecilus cupreus</i>	0%	0%	3%	0%	0%	0%
Cream Spot Ladybird	<i>Calvia Quattuordedcimguttata</i>	2%	0%	0%	0%	0%	0%
Devil's Coach-horse	<i>Ocyopus (Ocyopus) olens</i>	3%	0%	0%	0%	0%	0%
Donacia vulgaris	<i>Donacia vulgaris</i>	0%	0%	0%	3%	0%	0%
Half Trap Ground Beetle	<i>Loricera pilicornis</i>	0%	0%	6%	0%	0%	0%
Harlequin Ladybird	<i>Harmonia axyridis</i>	9%	2%	6%	3%	14%	9%
Harlequin Ladybird Variant 2	<i>f.succinea</i>	3%	0%	0%	3%	0%	0%
Hawthorn Leaf Beetle	<i>Lochmaea crategi</i>	0%	0%	0%	0%	0%	9%
Oedermera lurida	<i>Oedermera lurida</i>	0%	0%	0%	3%	0%	0%
Orange Ladybird	<i>Halyzia sedecimguttata</i>	0%	2%	3%	0%	0%	0%
Pea Weevil	<i>Sitona lineatus</i>	0%	0%	3%	0%	5%	0%
Philonthus nigrita	<i>Philonthus nigrita</i>	2%	0%	0%	0%	0%	0%
Pine Ladybird	<i>Exochomus quadripustulatus</i>	2%	0%	0%	3%	0%	0%
Polydrusus tereticaulis	<i>Polydrusus tereticaulis</i>	0%	2%	0%	0%	0%	0%
Rhinoceros Beetle	<i>Sinodendron cylindricum</i>	0%	0%	0%	3%	0%	0%
Rove Beetle	<i>Staphylinidae latrielle</i>	0%	2%	3%	0%	0%	0%
Rusty plate-jaw	<i>Leistus ferrugineus</i>	2%	0%	0%	0%	0%	0%
Shiny Flower Beetle		0%	0%	6%	0%	5%	0%
Soldier Beetle	<i>Cantharis Paludosa</i>	0%	0%	0%	0%	0%	9%
Stomis pumicatus	<i>Stomis pumicatus</i>	2%	0%	0%	0%	0%	0%
Tachyporus hypnorum	<i>Tachyporus hypnorum</i>	0%	0%	3%	0%	0%	0%
Vine Weevil	<i>Otiorynchus (Dorymerus) sulcatus</i>	0%	5%	0%	0%	0%	0%
Violet Ground Beetle	<i>Carabus (Megodontus) violaceus</i>	2%	0%	0%	0%	0%	0%
Other Insects		% Occasions Noted					
Aceria cephaloneus	<i>Aceria cephaloneus</i>	2%	0%	0%	0%	0%	0%
Banded demoiselle	<i>Calopteryx splendens</i>	0%	2%	0%	0%	0%	0%
Blue tailed damselfly	<i>Schnura elegans</i>	0%	0%	3%	0%	0%	0%
Broad Centurion	<i>Chloromyia formosa</i>	0%	2%	0%	0%	0%	0%
Brown Hawker	<i>Aeshna grandis</i>	2%	0%	0%	3%	0%	0%
Brown Lacewing	<i>Micromus variegatus</i>	2%	0%	0%	0%	0%	0%
Celery Fly	<i>Euleia heraclei</i>	0%	0%	3%	0%	0%	0%
Chrysopa septempunctata	<i>Chrysopa septempunctata</i>	2%	0%	0%	0%	0%	0%
Common Blue Damselfly	<i>Enallagma cyathigerum</i>	0%	0%	0%	0%	5%	9%
Common Darter	<i>Sympetrum striolatum</i>	2%	0%	0%	0%	0%	0%
Common Earwig	<i>Forficula auricularia</i>	0%	5%	0%	0%	0%	0%

Common flowerbug	<i>Common Flowerbug</i>	0%	0%	0%	0%	5%	0%
Common Froghopper	<i>Philaenus spumarius</i>	2%	2%	0%	0%	10%	9%
Common Green Grasshopper	<i>Omocestus viridulus</i>	3%	2%	0%	0%	0%	0%
Common Green Shieldbug	<i>Palomena prasina</i>	2%	2%	3%	0%	10%	0%
Common Scorpion Fly	<i>Panorpa communis</i>	2%	0%	0%	0%	0%	9%
Common Wasp	<i>Vespula vulgaris</i>	11%	20%	8%	13%	19%	9%
Cuckoo wasp (chrysis ignita)	<i>Chrysis ignita</i>	0%	2%	0%	0%	0%	0%
Empis tessellata	<i>Empis tessellata</i>	0%	2%	0%	0%	0%	0%
Eriothrix rufomaculata	<i>Eriothrix rufomaculata</i>	2%	0%	0%	0%	0%	0%
Field Grasshopper	<i>Chorthippus brunneus</i>	0%	0%	0%	0%	5%	0%
Flesh Fly	<i>Sarcophaga bercaea</i>	2%	2%	0%	0%	0%	0%
Green Bottle fly	<i>Lucilia sericata</i>	0%	2%	0%	0%	0%	0%
Green Lacewing	<i>Chrysoperla carnea</i>	2%	10%	0%	3%	5%	0%
Green Tailed Caddis Fly	<i>Brachycentrus subnubilus</i>	3%	0%	0%	0%	0%	0%
Halictus rubicundus	<i>Halictus rubicundus</i>	0%	2%	0%	0%	0%	0%
Hawthorn Shield Bug	<i>Acanthosoma haemorrhoidale</i>	2%	0%	0%	3%	0%	0%
Hilara maura	<i>Hilara maura</i>	0%	2%	0%	0%	0%	0%
Holly Leaf Miner	<i>Phytomyza ilicis</i>	0%	0%	0%	0%	0%	9%
Hornet	<i>Vespa crabro</i>	0%	0%	6%	0%	0%	0%
House Cricket	<i>Acheta domesticus</i>	0%	2%	0%	0%	0%	0%
Ichneumon stramentor	<i>Ichneumon stramentor</i>	0%	2%	0%	0%	0%	0%
Lucilia Caesar Fly	<i>Lucilia Caesar</i>	2%	0%	0%	0%	0%	0%
Meadow Grasshopper	<i>Chorthippus parallelus</i>	2%	2%	0%	0%	14%	0%
Meadow Plant Bug	<i>leptopterna dolabrata</i>	0%	0%	0%	0%	0%	9%
Median Wasp	<i>Dolichovespula media</i>	0%	0%	0%	0%	0%	9%
megaloceroea recticornis	<i>megaloceroea recticornis</i>	0%	0%	0%	0%	5%	9%
Migrant Hawker	<i>Aeshna mixta Latreille</i>	3%	5%	0%	3%	0%	0%
Moth Fly	<i>Clogmia albipunctata</i>	2%	0%	0%	0%	0%	0%
Oak Bush Cricket	<i>Meconema thalassinum</i>	0%	2%	3%	0%	0%	9%
Opomyza germinationis	<i>Opomyza germinationis</i>	0%	0%	0%	0%	5%	0%
Parasitic Yellowjacket	<i>Dolichovespula adulterina</i>	0%	5%	0%	0%	0%	0%
Phantom Midge	<i>Chaobora crystallinus</i>	0%	0%	0%	0%	5%	0%
Pied Mirid bug	<i>Grypocoris stysi</i>	0%	0%	3%	0%	0%	0%
Potter Wasp 1		0%	7%	0%	0%	0%	0%
Potter Wasp 2		0%	5%	1%	0%	0%	0%
Red Legged Shieldbug	<i>Pentatoma rufipes</i>	5%	0%	3%	0%	5%	0%
Speckled Bush Cricket	<i>Leptophyes punctatissima</i>	0%	2%	0%	0%	0%	0%
Spiny Mason Wasp	<i>Odynerus (Odynerus) spinipes</i>	2%	0%	0%	0%	0%	0%
Spotted Cranefly	<i>Nephrotoma appendiculata</i>	2%	7%	3%	0%	0%	0%
Springtail		0%	0%	3%	0%	0%	0%
Suillia variegata	<i>Suillia variegata</i>	2%	0%	0%	0%	0%	0%
Tachina fera	<i>Tachina fera</i>	0%	5%	0%	0%	0%	0%
Tree wasp	<i>dolichovespula sylvestris</i>	0%	2%	0%	0%	0%	0%
Two-tailed bristletail	<i>Campodea fragilis</i>	2%	0%	0%	0%	0%	0%

Valenzuela flavidus	<i>Valenzuela flavidus</i>	0%	0%	3%	0%	0%	0%
Yellow Springtail		0%	0%	3%	0%	0%	0%
Flowers		% Occasions Noted					
American Willowherb	<i>Epilobium adenocaulon</i>	0%	0%	3%	0%	0%	0%
Beaked Hawksbeard	<i>Crepis vesicaria</i>	0%	0%	0%	0%	0%	9%
Bird's Foot Trefoil	<i>Lotus corniculatus</i>	2%	0%	0%	0%	0%	0%
Black Medick	<i>Medicago lupulina</i>	5%	2%	6%	16%	0%	9%
Bluebell	<i>Hyacinthoides non-scripta</i>	2%	0%	0%	0%	0%	0%
Bramble	<i>Rubus fruticosus</i>	0%	2%	0%	0%	5%	0%
Broad Leaved Dock	<i>Rumex obtusifolius</i>	0%	0%	0%	0%	5%	9%
Broad-leaved Willowherb	<i>Epilobium mantanum</i>	2%	0%	3%	0%	0%	0%
Coltsfoot	<i>Tussilago farfara</i>	0%	0%	0%	6%	0%	0%
Common Centuary	<i>Centaurium erythraea</i>	0%	0%	0%	0%	0%	9%
Common Chickweed	<i>Stellaria media</i>	0%	0%	6%	0%	0%	0%
Common Daisy	<i>Bellis perennis</i>	9%	2%	8%	16%	10%	0%
Common Field Speedwell	<i>Veronica persica</i>	3%	0%	0%	6%	5%	0%
Common Ivy	<i>Hedera helix</i>	0%	7%	0%	3%	0%	0%
Common Sorrel	<i>Rumex acetosa</i>	3%	0%	0%	0%	0%	0%
Common St John's-Wort	<i>Hypericum perforatum</i>	0%	0%	0%	0%	0%	9%
Common Vetch	<i>Vicia sativa</i>	0%	0%	0%	0%	0%	18%
Cow Parsley	<i>Anthriscus sylvestris</i>	2%	0%	0%	0%	0%	9%
Cowslip	<i>Primula veris</i>	2%	0%	3%	0%	0%	0%
Creeping Buttercup	<i>Ranunculus repens</i>	3%	2%	8%	3%	10%	9%
Creeping Thistle	<i>Cirsium arvense</i>	0%	0%	6%	0%	0%	0%
Cut-leaved Crane's-bill	<i>Geranium dissectum</i>	0%	0%	0%	0%	0%	9%
Dandelion	<i>Taraxacum officinale</i>	6%	0%	0%	9%	5%	0%
Dog Rose	<i>Rosa canina</i>	0%	0%	3%	0%	5%	0%
Dogwood	<i>Cornus sanguinea</i>	0%	0%	0%	0%	0%	9%
Eyebright	<i>Euphrasia officinalis agg</i>	2%	0%	0%	0%	0%	0%
Field Forgetmenot	<i>Myosotis arvensis</i>	3%	2%	3%	0%	0%	0%
Field Madder	<i>Sherardia avensis</i>	2%	0%	6%	22%	5%	18%
Foxglove	<i>Digitalis purpurea</i>	2%	0%	0%	0%	0%	9%
Garden Lady's Mantle	<i>Alchemilla mollis</i>	2%	0%	3%	0%	0%	0%
Garlic Mustard	<i>Alliaria petiolata</i>	0%	0%	0%	0%	0%	9%
Germander Speedwell	<i>Veronica chamaedrys</i>	0%	0%	0%	6%	0%	0%
Great Mullein	<i>Verbascum thapsus</i>	0%	0%	0%	0%	0%	9%
Greater Plantain	<i>Plantago major</i>	2%	0%	3%	0%	0%	0%
Green Alkanet	<i>Pentaglottis sempervirens</i>	0%	0%	3%	0%	0%	0%
Guelder Rose	<i>Viburnum opulus</i>	0%	0%	0%	0%	5%	0%
Hairy Tare	<i>Lathyrus hirsutus</i>	0%	0%	0%	3%	0%	0%
Heath Speedwell	<i>Veronica officinalis</i>	0%	0%	0%	0%	0%	9%
Hedge Woundwort	<i>Stachys sylvatica</i>	0%	0%	6%	0%	0%	9%
Honesty	<i>Lunaria annua</i>	0%	2%	0%	0%	0%	0%
Ivy-Leafed Toadflax	<i>Cymbalaria muralis</i>	5%	5%	3%	0%	0%	0%

Ivy-leaved Speedwell	<i>Veronica hederifolia</i>	0%	0%	0%	3%	0%	0%
Knapweed	<i>Centaurea nigra</i>	0%	0%	0%	0%	0%	18%
Lady's Bedstraw	<i>Galium verum</i>	0%	5%	0%	0%	0%	0%
Lady's Smock/Cuckoo Flower	<i>Cardamine pratensis</i>	0%	0%	0%	0%	0%	9%
Lesser Celandine	<i>Ranunculus ficaria</i>	0%	2%	0%	0%	0%	0%
Lesser Stitchwort	<i>Stellaria graminea</i>	2%	2%	0%	0%	0%	9%
Lords-and-Ladies	<i>Arum maculatum</i>	2%	0%	0%	0%	0%	0%
Marsh Marigold	<i>Caltha palustris</i>	0%	2%	0%	0%	0%	0%
Meadow Buttercup	<i>Ranunculus acris</i>	3%	0%	3%	0%	0%	9%
Meadow vetchling	<i>Lathyrus pratensis</i>	0%	0%	0%	0%	0%	9%
Mouse-ear Hawkweed	<i>Pilosella officinarum</i>	0%	0%	0%	0%	0%	9%
Narrow Leaved Dock		0%	0%	0%	0%	5%	0%
Oxeye Daisy	<i>Leucanthemum vulgare</i>	0%	0%	0%	0%	0%	18%
Oxford Ragwort	<i>Senecio squalidus</i>	0%	0%	0%	0%	0%	9%
Pineapple Weed	<i>Matricaria discoidea</i>	0%	0%	3%	0%	0%	0%
Ploughman's Spikenard	<i>Inula conyzae</i>	0%	0%	0%	0%	5%	9%
Prickly Sow-Thistle	<i>Sonchus asper</i>	0%	0%	0%	0%	0%	9%
Primrose	<i>Primula vulgaris</i>	8%	0%	0%	0%	0%	0%
Ragwort	<i>Senecio jacobaea</i>	2%	0%	8%	3%	5%	9%
Ramsoms	<i>Allium ursinum</i>	2%	0%	0%	0%	0%	0%
Red Champion	<i>Silene dioica</i>	0%	0%	0%	6%	0%	27%
Red dead Nettle	<i>Lamium purpureum</i>	3%	0%	3%	6%	0%	0%
Ribwort Plantain	<i>Plantago lanceolata</i>	0%	0%	3%	0%	0%	0%
Self-heal	<i>Prunella grandiflora</i>	8%	7%	17%	16%	5%	9%
Shepherd's Purse	<i>Capsella bursa-pastoris</i>	0%	2%	0%	3%	0%	0%
Sneezewort	<i>Achillea ptarmica</i>	2%	0%	0%	0%	0%	0%
Snowdrops	<i>Galanthus nivalis</i>	8%	5%	3%	0%	0%	0%
Spear Thistle	<i>Cirsium vulgare</i>	0%	0%	3%	0%	0%	9%
Spotted Meddick	<i>Medicago arabica</i>	0%	0%	3%	0%	0%	0%
Square-stalked Willowherb	<i>Epilobium tetragonum</i>	0%	0%	0%	0%	0%	9%
Stinging Nettle	<i>Urtica dioica</i>	2%	0%	3%	0%	0%	0%
Teasel	<i>Dipsacus fullonum</i>	0%	0%	3%	0%	5%	9%
Thale Cress	<i>Arabidopsis thaliana</i>	0%	0%	0%	3%	0%	0%
Thyme-leaved Speedwell	<i>Veronica serpyllifolia</i>	0%	0%	0%	3%	5%	9%
Wavy Bittercress	<i>Cardamine flexuosa</i>	0%	0%	0%	6%	0%	0%
White Champion	<i>Silene latifolia</i>	0%	0%	0%	0%	0%	9%
White Clover	<i>Trifolium repens</i>	2%	5%	8%	3%	5%	9%
Wood Avens	<i>Geum urbanum</i>	0%	0%	0%	0%	0%	9%
Yellow Rattle	<i>Rhinanthus minor</i>	0%	0%	0%	3%	0%	0%
Yellow Rattle	<i>Rhinanthus minor</i>	0%	0%	0%	0%	0%	9%
Spiders		% Occasions Noted					
Cucumber Spider		0%	0%	0%	0%	5%	0%
Diaea Dorsata	<i>Diaea Dorsata</i>	2%	0%	0%	0%	0%	0%
Dicranopalpus ramosus	<i>Dicranopalpus ramosus</i>	2%	0%	0%	0%	0%	0%

House spider	<i>Tegenaria domestica</i>	2%	0%	3%	0%	0%	0%
Labryinth Spider	<i>Agelena labyrinthica</i>	2%	0%	0%	0%	0%	0%
Money Spider sp		3%	0%	0%	0%	0%	0%
Moss Mite		2%	0%	0%	0%	0%	0%
Pseudoscorpion	<i>Pseudoscorpiones Latreille</i>	2%	0%	8%	0%	0%	0%
Sputnik Spider	<i>Paidiscura pallens</i>	0%	0%	0%	0%	0%	9%
The Candystripe	<i>Enoplognatha ovata</i>	0%	0%	0%	0%	0%	9%
Thick Jawed Orb Weaver	<i>Metellina merianae</i>	2%	0%	0%	0%	0%	0%
Tibellus maritimus	<i>Tibellus maritimus</i>	2%	0%	0%	0%	0%	0%
Slugs & Worms		% Occasions Noted					
Black Slug	<i>Arion ater</i>	2%	2%	0%	3%	0%	0%
Blue Grey Worm	<i>Octolasion cyaneum</i>	0%	0%	3%	0%	0%	0%
Eiseniella tetraedra	<i>Eiseniella tetraedra</i>	0%	0%	3%	0%	0%	0%
Garden Slug	<i>Arion hortensis</i>	0%	2%	0%	0%	0%	9%
Keeled Slug	<i>Tandonia sowerbyi</i>	0%	2%	0%	0%	0%	0%
Leopard Slug	<i>Limax maximus</i>	6%	2%	0%	0%	0%	0%
Rosy-tipped worm	<i>Aporrectodea rosea</i>	0%	0%	3%	0%	0%	0%
Fungi		% Occasions Noted					
Blackening Wax Cap	<i>Hygrocybe conica</i>	2%	2%	14%	13%	14%	18%
Blue Roundhead	<i>Stropharia caerulea</i>	0%	0%	6%	0%	0%	0%
Blushing Wood Mushroom	<i>Agaricus sylvicola</i>	0%	0%	3%	0%	0%	0%
Candle Snuff	<i>Xylaria hypoxylon</i>	9%	10%	0%	3%	0%	0%
Clouded Agaric	<i>Clitocybe nebularis</i>	0%	5%	8%	0%	0%	0%
Common Inkcap	<i>Coprinopsis atramentaria</i>	0%	0%	0%	9%	0%	9%
Common Puffball	<i>Lycoperdon perlatum</i>	0%	0%	0%	3%	0%	0%
Coral Slime Mold	<i>Certatommyxa fructiculosa</i>	2%	2%	0%	0%	0%	0%
Coral Spot fungus	<i>Nectria cinnabarina</i>	5%	7%	0%	0%	14%	0%
Crimson Waxcap	<i>Hygrocybe punicae</i>	0%	0%	0%	6%	0%	0%
Crystal Brain	<i>Exidia nucleata</i>	3%	0%	0%	0%	5%	0%
Dead Man's Fingers	<i>Xykaria polymorpha</i>	0%	0%	3%	0%	0%	0%
Dwarf Bell	<i>Galerina pumila</i>	0%	2%	0%	0%	0%	0%
Earth Tongue	<i>Microglossum olivaceum</i>	0%	0%	0%	9%	0%	0%
Fairy Ring Champignons	<i>Marasmius oreades</i>	0%	0%	0%	3%	0%	0%
Fragrant Funnel	<i>Clitocybe fragrans</i>	5%	2%	0%	0%	0%	0%
Fringed earth star	<i>Geastrum fimbriatum</i>	0%	0%	0%	6%	5%	18%
Glistening Inkcap	<i>Coprinellus micaceus</i>	2%	2%	0%	0%	5%	0%
Golden Spindles	<i>Clavulinopsis fusiformis</i>	0%	2%	3%	0%	0%	0%
Golden Waxcap	<i>Hygrocybe chlorophana</i>	3%	12%	11%	6%	0%	0%
Grisette	<i>Amanita vaginata</i>	0%	2%	0%	0%	0%	0%
Honey Pinkgill	<i>Entoloma cetratum</i>	0%	2%	0%	0%	0%	0%
Jelly Ear	<i>Auricularia auricula-judae</i>	15%	5%	0%	0%	5%	0%
King Alfred Cakes	<i>Daldinia concentrica</i>	9%	7%	0%	0%	0%	0%
Liberty Cap	<i>Psilocybe semilanceata</i>	5%	5%	0%	0%	0%	0%
Meadow Coral	<i>Clavulinopsis corniculata</i>	0%	2%	8%	6%	0%	0%

Meadow Waxcap	<i>Hygrocybe pratensis</i>	0%	2%	0%	0%	0%	0%
Orange Bonnet	<i>Mycena acicula</i>	2%	0%	0%	0%	0%	0%
Parrot Waxcap	<i>Hygrocybe psittacina</i>	3%	5%	3%	3%	0%	0%
Petticoat Mottlegill	<i>Panaeolus papilionaceus</i>	0%	0%	0%	6%	5%	0%
Pleated Inkcap	<i>Parasola plicatilis</i>	0%	0%	6%	6%	0%	18%
Purple Jelly Disc	<i>Ascocoryne sarcoides</i>	5%	0%	0%	0%	0%	0%
Root Rot	<i>Heterobasidion annosum</i>	3%	2%	0%	0%	0%	0%
Shaggy Inkcap	<i>Coprinus comatus</i>	3%	2%	3%	6%	0%	9%
Shaggy Parasol	<i>Chlorophyllum rhacodes</i>	2%	7%	0%	0%	0%	9%
Silky Ink Caps	<i>Coprinus atramentarius</i>	2%	0%	0%	0%	0%	0%
Silverleaf fungus	<i>Chondrostereum purpureum</i>	0%	0%	0%	0%	10%	9%
Slime Mold	<i>physarum polycephalum</i>	0%	0%	0%	0%	5%	0%
Smoky Bracket	<i>Bjerkandera adusta</i>	2%	0%	0%	3%	0%	0%
Smoky spindle	<i>Clavaria fumosa</i>	0%	0%	0%	6%	5%	0%
Snowy waxcap	<i>Camarophyllus niveus</i>	3%	5%	0%	0%	5%	0%
Split Porecrust	<i>Schizopora paradoxa</i>	3%	0%	0%	0%	0%	0%
Star Pinkgill	<i>Entoloma conferendum</i>	3%	12%	0%	9%	5%	0%
Stump Puffball	<i>Lycoperdon pyriforme</i>	8%	17%	3%	9%	0%	0%
Sulphur Tuft	<i>Hypholoma fasciculare</i>	2%	0%	0%	0%	10%	0%
Tar Spot Fungus	<i>Rhytisma acerinum</i>	8%	7%	0%	0%	0%	0%
Tawny Funnel	<i>Lepista flaccida</i>	2%	7%	0%	13%	0%	9%
The Prince	<i>Agaricus augustus</i>	0%	0%	0%	6%	0%	9%
Tigers Eye	<i>Coltricia perennis</i>	3%	0%	0%	0%	0%	0%
Toothed Crust	<i>Basidioradulum radula</i>	2%	0%	0%	0%	0%	0%
Tufted Wood Mushroom	<i>Agaricus impudicus</i>	0%	0%	0%	0%	5%	0%
Turf Bell	<i>Galerina graminea</i>	0%	0%	3%	0%	0%	0%
Turkey Tail	<i>Trametes versicolor</i>	3%	2%	0%	0%	0%	0%
Twig Parachute	<i>Marosmiellis ramealus</i>	0%	0%	3%	3%	0%	0%
Vermilion waxcap	<i>Hygrocybe miniata</i>	2%	0%	0%	0%	0%	0%
Weeping Widow	<i>Lacrymaria lacrymabunda</i>	0%	2%	0%	0%	0%	0%
Witches Butter	<i>Exidia glandulosa</i>	5%	2%	3%	0%	0%	0%
Wood Blewit	<i>Lepista nuda</i>	0%	2%	0%	0%	0%	0%
Wood mushroom	<i>Agaricus silvicola</i>	0%	0%	3%	0%	0%	0%
Yellow Club	<i>Clavulinopsis helvola</i>	8%	5%	6%	9%	0%	0%
Yellow Staghorn	<i>Calocera viscosa</i>	3%	5%	3%	3%	0%	0%
Mosses		% Occasions Noted					
Anomalous Bristle-moss	<i>Orthotrichum anomalum</i>	11%	5%	0%	0%	0%	0%
Bonfire Moss	<i>Funaria hygrometrica</i>	3%	0%	0%	0%	0%	0%
Capillary Thread Moss	<i>Bryum capillare</i>	17%	5%	0%	3%	0%	0%
Catherine's Moss	<i>Atrichum undulatum</i>	2%	0%	3%	0%	0%	0%
Clustered Feather Moss	<i>Rhynchostegium confertum</i>	0%	0%	0%	0%	0%	0%
Common Pincushion	<i>Dicranoweisia cirrata</i>	2%	0%	0%	0%	0%	0%
Common Pocket Moss	<i>Fissidens taxifolius</i>	0%	2%	0%	0%	0%	0%
Common Pottia	<i>Tortula truncata</i>	0%	2%	0%	0%	0%	0%

Creeping Feather Moss	<i>Amblystegium serpens</i>	8%	0%	0%	0%	0%	0%
Cylindric beard Moss	<i>Didymodon insulanus</i>	2%	0%	0%	0%	0%	0%
Cypress Leaved Plait Moss	<i>Hypnum cupressiforme</i>	11%	0%	3%	0%	0%	0%
Dotted Thyme Moss	<i>Rhizomnium punctatum</i>	6%	5%	0%	0%	0%	0%
Grey-cushioned Grimmia	<i>Grimmia pulvinata</i>	14%	7%	3%	6%	0%	0%
Hart's Tongue thyme Moss	<i>Plagiomnium undulatum</i>	3%	10%	0%	0%	0%	9%
Hooded Bristle Moss	<i>Orthotrichum cupulatum</i>	0%	2%	0%	0%	0%	0%
Kneiff's Feather Moss	<i>Leptodictyum riparian</i>	2%	0%	0%	0%	0%	0%
Long Beaked thyme Moss	<i>Plagiomnium rostratum</i>	2%	0%	0%	0%	0%	0%
Long Beaked water feather Moss	<i>Platyhypnidium riparioides</i>	2%	0%	0%	0%	0%	0%
Mamillate plait Moss	<i>Hypnum andoi</i>	2%	0%	0%	0%	0%	0%
Many Fruited Thyme Moss	<i>Plagiomnium affine</i>	2%	0%	0%	0%	0%	0%
Matted Feather Moss	<i>Brachythecium populeum</i>	3%	2%	0%	0%	0%	0%
Nicholson's beard Moss	<i>Didymodon nicholsonii</i>	2%	0%	0%	0%	0%	0%
Purple Fruited Moss	<i>Ceratodon purpureus</i>	2%	0%	0%	0%	0%	0%
Rough Stalked Feather Moss	<i>Brachythecium rutabulum</i>	8%	7%	0%	0%	0%	0%
Silky Wall Feather Moss	<i>Homalothecium sericeum</i>	2%	0%	0%	0%	0%	0%
Silver Moss	<i>Bryum Argenteum</i>	0%	2%	0%	0%	0%	0%
Spear tipped bog moss	<i>Calliergonella cuspidata</i>	2%	2%	0%	0%	0%	0%
Spring Turf Moss	<i>Rhytidiadelphus squarrosus</i>	3%	7%	3%	0%	0%	9%
Thick Point Grimmia	<i>Schistidium crassipulum</i>	2%	5%	0%	0%	0%	0%
Trailing Feather Moss	<i>Kindbergia praelonga</i>	5%	5%	0%	0%	0%	0%
Wall Screw Moss	<i>Tortulla Muralis</i>	26%	7%	3%	0%	0%	0%
Wood Brittle Moss	<i>Orthotrichum affine</i>	2%	5%	0%	0%	0%	0%
Liverworts							
Bifid Crestwort	<i>Lophocolea bidentata</i>	12%	2%	0%	0%	0%	0%
Common Liverwort	<i>Marchantia polymorpha</i>	20%	15%	8%	3%	0%	0%
Crescent Cup Liverwort	<i>Lunularia cruciata</i>	14%	12%	0%	3%	0%	9%
Endive Pellia	<i>Pellia endiviifolia</i>	8%	2%	0%	0%	0%	0%
Forked Veilwort	<i>Metzgeria furcata</i>	5%	0%	0%	0%	0%	0%
Trees							
		% Occasions Noted					
Beech	<i>Fagus sylvatica</i>	9%	10%	3%	3%	0%	0%
Common Ash	<i>Fraxinus excelsior</i>	17%	15%	3%	3%	10%	0%
Common Lime	<i>Tilia x europaea</i>	23%	0%	3%	3%	5%	0%
Copper Beech	<i>Fagus purpurea</i>	14%	5%	6%	0%	0%	0%
Elder	<i>Sambucus nigra</i>	12%	2%	3%	0%	5%	0%
English Elm	<i>Ulmus minor var. vulgaris</i>	28%	15%	3%	3%	0%	0%
English Oak	<i>Quercus robur</i>	11%	7%	3%	3%	5%	0%
Field Maple	<i>Acer campestre</i>	0%	0%	6%	0%	0%	0%
Hawthorn	<i>Crataegus monogyna</i>	60%	15%	6%	0%	10%	0%
Holly	<i>Ilex aquifolium</i>	29%	15%	3%	3%	10%	9%
Hornbeam	<i>Carpinus betulus</i>	72%	10%	3%	3%	0%	0%
Hornbeam fastigata	<i>Carpinus betulus 'fastigata'</i>	15%	7%	0%	0%	0%	0%
Horse chestnut (red flower)	<i>Aesculus x carnea</i>	38%	10%	3%	3%	0%	9%

Horse chestnut (white flower)	<i>Aesculus hippocastanum</i>	31%	10%	6%	3%	0%	9%
Japanese Larch	<i>Larix kaempferi</i>	60%	10%	3%	0%	0%	0%
Laburnum	<i>Laburnum anagyroides</i>	58%	7%	3%	0%	0%	0%
Lilac	<i>Syringa vulgaris</i>	6%	2%	3%	0%	0%	0%
London Plane	<i>Plantanus hispanica</i>	62%	10%	3%	3%	0%	9%
Mulberry Bush	<i>Morus nigra ?</i>	0%	2%	3%	3%	0%	0%
Norwegian Maple	<i>Acer platanoides</i>	51%	0%	0%	0%	0%	0%
Privet	<i>Ligustrum vulgare</i>	8%	10%	0%	0%	0%	0%
Purple Scyamore	<i>Acer pseudoplatanus</i>	25%	10%	0%	0%	0%	0%
Rowan	<i>Sorbus aucuparia</i>	23%	2%	3%	3%	0%	0%
Scots Pine	<i>Pinus sylvestris</i>	8%	2%	3%	0%	0%	0%
Sessile Oak	<i>Quercus petraea</i>	0%	0%	0%	0%	5%	0%
Silver Birch	<i>Betula pendula</i>	23%	2%	3%	3%	0%	0%
Small Leaf Lime	<i>Tilia cordata</i>	3%	0%	0%	0%	0%	0%
Spurge Laurel	<i>Daphne laureola</i>	12%	2%	0%	0%	0%	0%
Swedish Whitebeam	<i>Sorbus Intermedia</i>	20%	2%	0%	3%	0%	0%
Sweet Chestnut	<i>Castanea sativa</i>	0%	0%	0%	3%	5%	0%
Sycamore	<i>Acer pseudoplatanus pupureum.</i>	14%	7%	6%	0%	0%	0%
Weeping Beech	<i>Fagus sylvatica Pendula</i>	32%	5%	3%	0%	0%	0%
Wild Cherry	<i>Prunus avium</i>	55%	5%	3%	0%	0%	0%
Yew	<i>Taxus baccata</i>	66%	17%	6%	6%	14%	0%
Ferns		% Occasions Noted					
Black Spleenwort	<i>Asplenium adiantum-nigrum</i>	2%	0%	0%	0%	0%	0%
Golden Scaly Male Fern	<i>Dryopteris affinis</i>	2%	0%	0%	0%	0%	0%
Hart's Tongue	<i>Asplenium scolopendrium</i>	40%	10%	0%	3%	0%	9%
Lady Fern	<i>Athyrium filix-femina</i>	2%	0%	0%	0%	0%	0%
Male Fern	<i>Dryopteris filix-mas</i>	2%	0%	0%	0%	0%	0%
Soft Shield Fern	<i>Polystichum setiferum</i>	2%	0%	0%	0%	0%	0%
Wall rue	<i>Asplenium ruta-muraria</i>	0%	2%	0%	0%	0%	0%
Lichens		% Occasions Noted					
Arthronia lapidicola	<i>Arthronia lapidicola</i>	0%	5%	0%	0%	0%	0%
Aspicilia calcarea	<i>Aspicilia calcarea</i>	2%	2%	0%	0%	0%	0%
Aspicilia contorta	<i>Aspicilia contorta</i>	0%	2%	0%	0%	0%	0%
basidio-lichen 1	<i>lichenomphalia umbellifera</i>	2%	0%	0%	0%	0%	0%
basidio-lichen 2	<i>lichenomphalia hudsoniana</i>	2%	0%	0%	0%	0%	0%
Calopeca Chrysodeta	<i>Calopeca Chrysodeta</i>	0%	2%	0%	0%	0%	0%
Caloplaca decipiens	<i>Caloplaca decipiens</i>	2%	0%	0%	0%	0%	0%
Caloplaca lithophila	<i>Caloplaca holocarpa</i>	0%	2%	0%	0%	0%	0%
Candelaria concolour	<i>Candelaria concolour</i>	0%	2%	0%	0%	0%	0%
Candelariella vitellina	<i>Candelariella vitellina</i>	0%	2%	0%	0%	0%	0%
Chrysothrix flavovirens	<i>Chrysothrix flavovirens</i>	0%	2%	0%	0%	0%	0%
Cladonia chlorophaea	<i>Cladonia chlorophaea</i>	0%	5%	0%	0%	0%	0%
Cladonia coniocraea	<i>Cladonia coniocraea</i>	3%	0%	0%	0%	0%	0%
Cladonia fimbriata	<i>Cladonia fimbriata</i>	8%	7%	0%	0%	0%	0%

Common Orange Lichen	<i>Xanthoria parietina</i>	3%	2%	0%	0%	0%	0%
Dark Crottle	<i>Hypogymnia physodes</i>	2%	0%	0%	0%	0%	0%
Enterographa hutchinsiae	<i>Enterographa hutchinsiae</i>	0%	2%	0%	0%	0%	0%
Hymenelia epulotica	<i>Hymenelia epulotica</i>	0%	2%	0%	0%	0%	0%
Icmadophila cricetorum	<i>Icmadophila cricetorum</i>	0%	2%	0%	0%	0%	0%
Lecanora muralis	<i>Lecanora muralis</i>	0%	2%	0%	0%	0%	0%
Lecanora orosthea	<i>Lecanora orosthea</i>	0%	2%	0%	0%	0%	0%
Lepraria lobeficans	<i>Lepraria lobeficans</i>	0%	2%	0%	0%	0%	0%
Melanelixia fulginosa	<i>Melanelixia fulginosa</i>	0%	2%	0%	0%	0%	0%
Melanelixia subaurifa	<i>Melanelixia subaurifa</i>	0%	2%	0%	0%	0%	0%
Melanohalea exasperatula	<i>Melanohalea exasperatula</i>	0%	2%	0%	0%	0%	0%
Membranous Dog Lichen	<i>Peltigera membranacea</i>	2%	12%	0%	0%	0%	0%
Micarea lignaria	<i>Micarea lignaria</i>	0%	2%	0%	0%	0%	0%
Netted Shield Lichen	<i>Parmelia sulcata</i>	0%	2%	0%	0%	0%	0%
Parmelina tiliacea	<i>Parmelina tiliacea</i>	0%	2%	0%	0%	0%	0%
Parmotrema perlatum	<i>Parmotrema perlatum</i>	0%	2%	0%	0%	0%	0%
Phaeophysica orbicularis	<i>Phaeophysica orbicularis</i>	2%	0%	0%	0%	0%	0%
Phlyctis argena	<i>Phlyctis argena</i>	0%	2%	0%	0%	0%	0%
Physcia adscendens	<i>Physcia adscendens</i>	0%	7%	0%	0%	0%	0%
Physcia aipolia	<i>Physcia aipolia</i>	0%	5%	0%	0%	0%	0%
Physcia tenella	<i>Physcia tenella</i>	0%	2%	0%	0%	0%	0%
Ramalina farinacea	<i>Ramalina farinacea</i>	0%	2%	0%	0%	0%	0%
Stag Lichen	<i>Evernia prunastri</i>	5%	2%	0%	0%	0%	0%
Xanthoria polycarpa	<i>Xanthoria polycarpa</i>	0%	5%	0%	0%	0%	0%
Xanthoria ucrainica	<i>Xanthoria ucrainica</i>	0%	2%	0%	0%	0%	0%
Grasses		% Occasions Noted					
Bottle Sedge	<i>Carex rostrata</i>	2%	0%	0%	0%	0%	0%
Common Couch	<i>Elytrigia repens</i>	0%	0%	3%	0%	0%	0%
False Oat grass	<i>Arrhenatherum elatius</i>	0%	0%	3%	0%	0%	0%
Hairy Sedge	<i>Carex hirta</i>	0%	0%	0%	0%	5%	0%
Meadow foxtail	<i>Alopecurus pratensis</i>	0%	0%	0%	0%	0%	9%
Perennial rye grass	<i>Lolium perenne</i>	0%	0%	3%	0%	0%	0%
Yorkshire Fog	<i>Holcus lanatus</i>	0%	0%	3%	0%	0%	0%
Athropods		% Occasions Noted					
Banded Centipede	<i>Lithobius variagatis</i>	0%	5%	0%	0%	0%	0%
Common Shining Woodlouse	<i>Oniscus asellus</i>	0%	2%	0%	3%	5%	0%
Common Striped Woodlouse	<i>Philoscia muscorum</i>	0%	0%	0%	0%	5%	0%
Cylindroiulus caeruleocinctus	<i>Cylindroiulus caeruleocinctus</i>	0%	0%	0%	0%	0%	9%
Flat-Backed Millipede	<i>Oxidus gracilis</i>	0%	2%	0%	0%	0%	0%
Geophilus Flavus	<i>Geophilus flavus</i>	0%	0%	3%	0%	0%	0%
Polydesmus inconstans	<i>Polydesmus inconstans</i>	2%	2%	3%	0%	0%	0%
Rosy Woodlouse	<i>Androniscus dentiger</i>	2%	0%	0%	0%	0%	0%
Spotted Snake Millipede	<i>Blaniulus guttulatus</i>	2%	5%	0%	0%	0%	0%
White Legged Snake Millipede	<i>Tachypodoiulus niger</i>	2%	2%	0%	0%	0%	0%

Snails		% Occasions Noted					
Garden Snail	<i>Helix aspersa</i>	6%	0%	3%	0%	0%	9%
Ramshorn Snail	<i>Anisus (Disculifer) vorticulus</i>	0%	0%	0%	3%	0%	0%
Galls		% Occasions Noted					
Aceria macrochela	<i>Aceria macrochela</i>	0%	2%	0%	0%	0%	0%
Aceria myriaculeus	<i>Aceria myriaculeus</i>	0%	2%	0%	0%	0%	0%
Agrobacterium tumefaciens	<i>Rhizobium radiobacter</i>	5%	0%	0%	0%	0%	0%
Artichoke Gall	<i>Andricus fecundato</i>	0%	2%	0%	0%	0%	0%
Cola Nut Gall	<i>Andricus lignicola</i>	0%	2%	0%	0%	0%	0%
Common Spangle Galls	<i>Neuroterus quercusbaccarum</i>	0%	2%	0%	0%	0%	0%
Hawthorn Button Top Gall	<i>Dasineura crataegi</i>	0%	2%	0%	0%	0%	0%
Epitremes trilobus	? <i>Epitremes trilobus</i>	0%	2%	0%	0%	0%	0%
Willow gall	<i>Iteomyia major</i>	0%	2%	0%	0%	0%	0%
Knoppler gall	<i>Andricus quercuscalicis</i>	0%	2%	0%	0%	0%	0%
Marble Gall	<i>Andricus kollari</i>	0%	5%	0%	0%	0%	0%
Pea gall	<i>Cynips divisa</i>	0%	2%	0%	0%	0%	0%
Nettle Gall	<i>Trioza urticae</i>	0%	2%	0%	0%	0%	0%
Yew Gall	<i>Taxomyia taxi</i>	0%	0%	6%	0%	0%	0%
Witches Broom	<i>Taphrina betulina</i>	0%	0%	3%	3%	0%	0%